


1. CM 06-05 Fluffy's revenge 2

No image

| | | | |
|---------|--|------------|--------|
| CoF | Virginia count - Short | Points | 40 p |
| Targets | 3 paper, 2 popper, 2 no-shoot, Total 5 targets | Min rounds | 8 |
| Firearm | Handgun | Match-% | 10.81% |

| | |
|-------------------------|-----|
| Procedure | |
| Starting position | |
| Firearm ready condition | |
| Start on | |
| Stop on | |
| Penalties | |
| Safety angles | L/R |
| Setup notes | |

2. CM 13-01 Disaster Factor



| | | | |
|---------|--------------------------|------------|--------|
| CoF | Virginia count - Medium | Points | 60 p |
| Targets | 6 paper, Total 6 targets | Min rounds | 12 |
| Firearm | Handgun | Match-% | 16.22% |

| | |
|-------------------------|--|
| Procedure | Upon start signal, turn, then draw and engage either the upper or lower three targets with only two rounds each, perform a mandatory reload, and engage the remaining three-target array with only two rounds each from within the box. |
| Starting position | Standing inside the fault lines, toes touching marks, facing uprange, wrists above respective should |
| Firearm ready condition | |
| Start on | Audible signal |
| Stop on | Last shot |
| Penalties | Per current USPSA Handgun rules |
| Safety angles | L/R |
| Setup notes | Targets are set at 31 feet from the front of the shooting box, and are spaced 9 inches apart, edge to edge. The shoulders of T1, T3, and T5 are at 66 inches. The shoulders of the no-shoots are at 55 inches. Set the top edges of T2, T4, and T6 at 7.5 inches below the top edge of the no-shoot.) All targets must be aligned vertically, edge to edge. The shooting box is a standard 3 foot by 3 foot box. The X marks are to be 12 inches in from each side of the box. |

3. CM 99-62 Bang and Clang

No image

| | | | |
|---------|------------------------------------|------------|-------|
| CoF | Comstock - Short | Points | 30 p |
| Targets | 1 paper, 4 popper, Total 5 targets | Min rounds | 6 |
| Firearm | Handgun | Match-% | 8.11% |

| | |
|-------------------------|-----|
| Procedure | |
| Starting position | |
| Firearm ready condition | |
| Start on | |
| Stop on | |
| Penalties | |
| Safety angles | L/R |
| Setup notes | |

4. CM 99-21 Mini Mart

No image

| | | | |
|---------|--------------------------------------|------------|--------|
| CoF | Virginia count - Medium | Points | 60 p |
| Targets | 3 paper, 2 no-shoot, Total 3 targets | Min rounds | 12 |
| Firearm | Handgun | Match-% | 16.22% |

| | |
|-------------------------|-----|
| Procedure | |
| Starting position | |
| Firearm ready condition | |
| Start on | |
| Stop on | |
| Penalties | |
| Safety angles | L/R |
| Setup notes | |


5. CM 06-03 Can You Count

No image

| | | | |
|---------|--------------------------------------|------------|--------|
| CoF | Virginia count - Long | Points | 100 p |
| Targets | 4 paper, 2 no-shoot, Total 4 targets | Min rounds | 20 |
| Firearm | Handgun | Match-% | 27.03% |

| | |
|-------------------------|-----|
| Procedure | |
| Starting position | |
| Firearm ready condition | |
| Start on | |
| Stop on | |
| Penalties | |
| Safety angles | L/R |
| Setup notes | |

6. CM 13-05 Tick Tock



| | | | |
|---------|--------------------------------------|------------|--------|
| CoF | Virginia count - Medium | Points | 80 p |
| Targets | 4 paper, 1 no-shoot, Total 4 targets | Min rounds | 16 |
| Firearm | Handgun | Match-% | 21.62% |

| | |
|-------------------------|--|
| Procedure | Upon start signal, engage each target with only two rounds, perform a mandatory reload using the magazines/ammo on the table, and then engage each target with only two rounds, from within the fault lines. |
| Starting position | Standing outside the fault lines, toes touching marks, facing downrange, wrists above respective sho |
| Firearm ready condition | |
| Start on | Audible signal |
| Stop on | Last shot |
| Penalties | As per current edition of rules |
| Safety angles | L/R Targets are set at 21 feet from the front fault line. No-shoot is positioned with the edge of the target touching the C scoring line on T1 and T3, and the top of the target 18 inches up from the bottom edge of T2, non-scoring border covering the A zone perforations. T4 is positioned with the top of the scoring target 18 inches up from the bottom edge of the noshoot. (A mark must be made from the scoring side of the no-shoot to ensure proper alignment.) The table is |
| Setup notes | standards height & any size |