



1. Fomle



CoF	Comstock - Short	Points	50 p
Targets	5 paper, 3 no-shoot, Total 5 targets	Min rounds	10
Firearm	Handgun	Match-%	25.00%

Procedure	On start signal engage all targets as they become visible within the demarcated area.
Starting position	Starting relaxed facing downrange.
Firearm ready condition	L/R 90 deg, top of berm + two meters
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	L/R
Setup notes	


2. Høyre eller venstre?



CoF	Comstock - Short	Points	50 p
Targets	5 paper, 3 no-shoot, Total 5 targets	Min rounds	10
Firearm	Handgun	Match-%	25.00%

Procedure	On start signal engage all targets as they become visible within the demarcated area.
Starting position	Starting relaxed facing downrange.
Firearm ready condition	Gun loaded on barrel.
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	L/R 90 deg, top of berm + two meters
Setup notes	


3. Vi går til venstre



CoF	Comstock - Short	Points	50 p
Targets	5 paper, Total 5 targets	Min rounds	10
Firearm	Handgun	Match-%	25.00%

Procedure	On start signal engage all targets as they become visible within the demarcated area.
Starting position	Standing relaxed facing downrange.
Firearm ready condition	Gun loaded on barrel.
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	L/R 90 deg, top of berm + two meters
Setup notes	

4. Høy termosføring



CoF	Comstock - Short	Points	50 p
Targets	5 paper, 5 no-shoot, Total 5 targets	Min rounds	10
Firearm	Handgun	Match-%	25.00%

Procedure	On start signal engage all targets as they become visible within the demarcated area. Each shot fired without the entire termos being held above the gun will incur one procedural penalty per occurrence. procedural penalty per occurrence.
Starting position	Standing relaxed facing downrange.
Firearm ready condition	Gun loaded, 45 deg
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	L/R 90 deg, top of berm + two meters
Setup notes	