

1. Stage 1

No image

CoF	Comstock - Short	Points	60 p
Targets	4 paper, 2 popper, 2 plates, 1 no-shoot, Total 8 targets	Min rounds	12
Firearm	Handgun	Match-%	15.79%

Procedure	On signal, shoot targets as they become visible, from within the area.
Starting position	Start standing relaxed behind barrel, arms in surrender position. Loaded gun on top of barrel.
Firearm ready condition	
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	
Setup notes	Safety angel 90 degrees.

2. Stage 2

No image

CoF	Comstock - Long	Points	160 p
Targets	13 paper, 4 popper, 2 plates, 5 no-shoot, Total 19 targets	Min rounds	32
Firearm	Handgun	Match-%	42.11%

Procedure	On signal, shoot targest as they become visible
Starting position	RO will show start position. Gun loaded & holstered.
Firearm ready condition	
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	
Setup notes	Safety angels 90 degrees.

3. Stage 3

No image

CoF	Comstock - Medium	Points	100 p
Targets	10 paper, 2 no-shoot, Total 10 targets	Min rounds	20
Firearm	Handgun	Match-%	26.32%

Procedure	On signal, shoot the targets as they become visible from within the area.
Starting position	Standig relaxed in front of column, facing downrange, toes touching stone, loaded gun in holster.
Firearm ready condition	
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	
Setup notes	Safety angel 90 degrees.

4. Stage 4

No image

CoF	Comstock - Short	Points	60 p
Targets	6 paper, Total 6 targets	Min rounds	12
Firearm	Handgun	Match-%	15.79%

Procedure	On the signal, shoot the targets from within the area as they become visible AOFS with 1 round each. Perform a mandatory reload and shoot the targets AO, with 1 round each, strong hand only!
Starting position	Standing relaxed in area facing downrange, gun completely empty & holstered.
Firearm ready condition	
Start on	Audible signal
Stop on	Last shot
Penalties	As per current edition of rules
Safety angles	
Setup notes	Safety angel 90 degrees.